

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| 1        | 908  | reus\$4 near3 (array microarray chip)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 14:08 |
| 2        | 1000 | (reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 14:09 |
| 3        | 29   | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 14:10 |
| 4        | 20   | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 14:15 |
| 5        | 19   | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 15:15 |
| 8        | 4    | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH) and (nuclease adj1 resis\$8)                                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 15:41 |
| 9        | 4    | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH) and (nuclease adj1 resis\$8) and different adj1 sequence        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 15:57 |
| 10       | 1    | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH) and (nuclease adj1 resis\$8) and predefined adj1 region         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 15:45 |
| 11       | 1    | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH) and (nuclease adj1 resis\$8) and predefined                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 15:45 |
| 12       | 0    | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH) and (nuclease adj1 resis\$8) and different adj label            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 15:58 |
| 13       | 0    | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH) and (nuclease adj1 resis\$8) and different\$4 adj label         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 15:58 |
| 14       | 0    | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH) and (nuclease adj1 resis\$8) and different\$4 adj1 label        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 15:58 |
| 15       | 0    | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH) and (nuclease adj1 resis\$8) and different\$4 adj1 label\$4     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 15:58 |
| 16       | 4    | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4)) and (hybrid\$8) and pH) and (nuclease adj1 resis\$8) and (label\$5 near10 different\$8) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 16:38 |

|    |   |  |   |                  |
|----|---|--|---|------------------|
| 17 | 4 | ((((((reus\$4 or (re adj1 us\$4)) near3<br>(array microarray chip)) and ((strip\$5<br>wash\$4) near3 (acid\$4))) and (hybrid\$8)) and<br>pH) and (nuclease adj1 resis\$8)) and<br>(label\$5 near10 different\$8)) and (affinity<br>adj4 RNA) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 16:39 |
|----|---|--|---|------------------|

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| 1        | 908  | reus\$4 near3 (array microarray chip)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 14:08 |
| 2        | 1000 | (reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 14:09 |
| 3        | 29   | ((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4))                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 14:10 |
| 4        | 20   | ((((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4))) and (hybrid\$8))         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 14:15 |
| 5        | 19   | (((((reus\$4 or (re adj1 us\$4)) near3 (array microarray chip)) and ((strip\$5 wash\$4) near3 (acid\$4))) and (hybrid\$8)) and pH | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/04 14:15 |